

INDEX MAPS.

T.9N° R.1W 2nd Mer.

257	258	258	258	258	259	259	260
262 6 284	5 282 4	284 3	281	2	284 271	1	257
283	282	280	281	270	270		
261 7 283 8	282 281 9	280 10	269 11	270 12	256		
283	279	278	268	268	269		
261 18 279 17	278 16	267 15	268 14	267 13	256		
280	279	278	266	265	267		
261 19 277 20	276 21	266 22	266 23	265 24	255		
277	275	275-276	264	263	264		
260 30 275-29	276 28	273 27	264 26	263 25	255		
274	274	273	272	271 262	263		
260 31 274 32	273 33	272 34	271 35	262 36	255		
254	254	254	253	253	253		

T.10N° R.1W 2nd Mer.

293	293-294	293-294	292-294	292-294	292-295	292-295
297 6 306 5	309 4	313 3	318 2	325 1	292	
305	308	312	317	324	325	
297 7 305 8	308 9	312 10	317 11	324 12	291	
304	307	311	316	323	323	
296 18 304 17	307 16	311 15	316 14	322 13	291	
300=304	306	310	316	322	322	
296 19 303 20	306 21	310 22	315 23	321 24	290	
299-300	299 303	310	315	320	321	
296 30 299 29	302 28	309 27	314 26	320 25	290	
298	298	302	301 314	319	319	
295 31 298 32	302 33	301 34	313 35	318 36	290	
287	287	287	288	288-289	289	

The figures on the lines refer to the page.

Township No. 10 North Range No. 1 West 2nd Dist.
Ch. Ch.

South Boundary.

April 5th 1811. from the cor. of T. S. 9 & 10
R. R. 3 1/2 N.

East On the South Boundary of sec. 31. T. No. 10 N.
R. N. 1 W.

- 23.00 To a Brook 10 links wide; Course N.
40.00 Set a post for the cor. to 1/4 ac. from which an
Ash 30 in. dia. bears North 15 links west; & a
Bush 14 in. n. w. S. 78 E. 27 n. n.
60.50 To a Brook 8 links wide; Course S.E.
80.00 Set a post for the cor. to sec. 31. 1/3 3. T. No. 10
R. R. N. 1 W. from which a
Sugar 14 in. dia. bears S 28 E. 5 links west; & a
Bush 13 in. n. w. N 17 E. 28 n. n.
Rock hilly lands; Timber Bush, Ash, Buckeye &c.

East On the South Boundary of sec. 32. T. No. 9 N. R.
N. 1 W.

- 1.50 To a Brook 150 links wide; Course N.W.
5.00 n. n. n. 150 n. n. n. S.E.
11.00 n. n. n. 150 n. n. n. N.W.
40.00 Set a post for the cor. to 1/4 ac. from which a
Bush 18 in. dia. bears S 61 W. 16 links west; & a
Slo. 11 n. n. n. N 57 E. 30 n. n.
80.00 Set a post for the cor. to sec. 32 1/3 3. T. No. 10
R. R. N. 1 W. from which a
W. Oak 14 in. dia. bears S 65 E. 27 links west;
Bush 5 n. n. n. N 21 E. 23 n. n.
Sands 1/27 per mile flat bottom covered with
mats; Timber maple, Elm, &c. 2 1/2 miles from
Hilly Oak lands; &c.

East On the South Boundary of sec. 33. T. No. 10 N.
R. N. 1 W.

- 10.00 To a Brook 6 links wide; Course S.E.
17.00 n. n. Slo. 10 n. n. n. S.W.
40.00 Set a post for the cor. to 1/4 ac. from which a

J. N° 10. W.P. N° 1 W. 2 miles NW. Sand.

Ash 20 in. dia. base S 81° W. 16 miles dist; to
Buck 10 in. - - N 55° E. 15 in. -
Lands flat bottom; Timber Cedar.

80.00 Lot a post for the cor. to sec. 33. 134 J. N°
10. W.P. N° 1 W. from which an
Ash 12 in. dia. base N 77° E. 5 miles dist; to
Buck 18 in. - - S 48° W. 19 in. -
Lands first 1/2 mile Hilly Oak lands; 2nd
1/2 flat Elm bottom lands.

East On the South Boundary of sec. 34. J. N° 90
W.P. N° 177

40.00 Lot a post for the cor. to 1/4 sec. from which a
Birch 30 in. dia. base N 45° E. 9 miles dist; to
Buck 10 in. - - S 49° W. 9 in. -
Not Buck lands;

57.60 To a Brook 150 miles mid; lower S.W.
65.00 " " " 150 " " " N.W.
80.00 Lot a post for the cor. to sec. 34. 135. J. N°
10 W.P. N° 177 from which a
Buck 13 in. dia. base N 50° W. 34 miles dist
100 24 in. " " " S 50° E. 28 in. -
Lands flat bottom; Timber Buck, Elm, &
Maple.

East On the South Boundary of sec. 35. J. N° 10.
W.P. N° 177

8.50 To a Brook 40 miles mid; lower S.
32.50 " " " 150 " " " S.W.
38.50 " " " 8 " " " N.W.
40.00 Lot a post for the cor. to 1/4 sec. from which a
Birch 16 in. dia. base S 46° W. 6 miles dist; to
Buck 5 in. " " " N 38° E. 19 in. -
Poor not Buck Bottom lands &c
59.00 Lot a post on the N. Boundary line of Clear-
water Purchase at the cor. of sec. 2135

J. No 10. A. Y. P. No 177. 2nd Mer. Ind.

J^s 10. & 9. from which a
N.W. 1/4 in. sec. bears N 33° E. 14 miles due S.
Logwood 4 a - - \$20 W. 20 a -
Surveyed by Alex. Holmes.

Var. 6° 30' the remainder of this Town line
was surveyed by W. Harris. L.S.

West On the South Boundary of Sec. 36. T. N^o 10 N.
R. N^o 1 W. On a R. medium line
40.00 Lot a temp. y. West for the cor. to 1/4 sec.
80.00 Lot a n - n - n - n Rev. 35136.
T. N^o 10 R. N^o 1 W.

West Orth S. Boundary of Sec. 35. T. No 10 N. R. N.
1 1/2. On a K. mudum line.

East On the true line South side of Sec. 35. From the
post set by A. Hartline on the N.W. Boundary of
Harris's purchase cor to Sec. 2 & 35. T. 9^o
R. 10 S. 17th

11.0.0 Set a spot for the cor. to set 35.036. T N. 10
M.R. No 177. from which a
bullet 18 in. dia. bore N 38 E. 15 miles east;
velocity 9 m. a. a 145 ft. 9 m. a.

East On the S. B. mud. of sec. 36. T. N. 10. R.
R. No 1 W. True line

40.00 Set apart from the cor. to 1/4 mi. from which a
Sassafras tree bears 163 E. 28 inches dbh;
at N.W. 1/4 12 n ~ ~ 180 W. 6 n ~

80.00 To the post set for the cor. to accts. 1.C. 31.136-
75 No. 9210 M.R.S 1 E. & 1 W.

J. N.° 10. N.R. N.° 1 W. 2nd Mer.

East Boundary

- North On the 2nd Mer. on the East Boundary of sec. 25
36 J. N.° 10 N.R. N.° 1 W. Var. E. 311'
- 40.00 Lot a post for the cor. to 1/4 ac. from which a
Sycamore 30 in. dia. base South 40 ft. dia;
76' E. 7 a n - \$48 W 42 a n
- 41.00 To a Brook 20 links mid; course W.
- 67.00 Continue a distance.
- 80.00 Lot a post for the cor. to sec. 25 136. J. N.° 10
N.R. N.° 1 W. From which a
Maple 8 in. dia. base \$44 W. 10 links mid; to
Do 13 a n - \$12 W. 5 p a n
Sand & peat broken & peat swamp. 2nd rate
soil;

May 20th 1819.

- North On the 2nd Mer. on the East Boundary of sec. 25
J. N.° 10 N.R. N.° 1 W.
- 5.00 Passed the swamp.
- 39.00 To a Brook 100 links mid; course W.
- 40.00 Lot a post for the cor. to 1/4 ac. from which a
Sycamore 18 in. dia. base \$19 W. 32 ft. dia.
- 80.00 Lot a post for the cor. to sec. 24 125 J. N.° 10
N.R. N.° 1 W. From which a
Sugar 13 in. dia. base \$43 W. 33 links mid;
Buck 6 a n - \$23 E. 16 a n
Sand mostly hard and not, rather swampy

North On the 2nd Mer. on the East Boundary of sec.

24 J. N.° 10 N.R. N.° 1 W.

- 40.00 Lot a post for the cor. to 1/4 ac. from which a
Buck 8 in. dia. base \$56 E 16 links mid; to
Buckeye 13 a n - \$63 W 3 a n
- 45.00 To a Brook 10 links mid; course E.
- 52.50 n a n - 10 a n - - S. E.
- 60.00 n a n - 10 a n - a . S. W.

T. N^o 10. S.T.R. N^o 17th. Grade Mar. (Sect. a)

- 80.00 Set apart for the cor. to Sec. 13 & 24. T. N^o
10. S.T.R. N^o 17th. from which a
B. Ash. 12 in. dia. bears \$51 47.12 miles dist;
Buck 12 " " " \$63 E. 6 " "
Lands good rock & good rather broken.
Timber generally Buck, some Sugar, Poplar,
Ash & Walnut.
-

North Onth 2nd Mar. on the East side of sec. 13.

- T. N^o 10 S.T.R. N^o 17th. from which
24.00 To a Brook 5 in. dia bears S.E.
40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Buck 14 in. dia. bears \$38 E. 18 miles dist;
Do 9 " " " N 79 W 14 " "
80.00 Set apart for the cor. to Sec. 12 & 13. T. N^o 10
S.T.R. N^o 17th. from which a
Buck 12 in. dia. bears \$35 47. 15 miles dist; to
Ash 30 " " " N 83 E. 9 " "
The South $\frac{3}{4}$ of this mile rather broken; good
 $\frac{1}{4}$ sec. rate lands; Timber some; The N $\frac{1}{4}$ inch
lands; middling good farming lands;
-

North Between Pub. 7 & 12 On the 2nd Mar. T^o 10 N.
N^o 17th E & 17th.

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Buck 12 in. dia bears \$80 E. 14 miles dist; to
Do 24 " " " S 71 W. 21 " "
45.00 To a Brook 8 miles wide; convex S.W.
80.00 Set apart for the cor. to Sec. 1 & 12 T. N^o 10 N.
N^o 17th. from which a
Buck 18 in. dia bears \$48. 59 miles dist; to
Sugar 14 " " " N 19 E 17 " "
Lands rather broken good soil; Timber Buck
Sugar. Ash, Poplar, Oak; middling good
farming lands;
-

T. N° 10. N.R. N° 1 44. 2nd Mor. (Acc.)

North On the 2nd Mor. on the East side of sec 1 T.

N° 10. N.R. N° 1 W.

- 38.00 To a Brook 6 miles mid; leaves N.W.
 40.00 Set a post for the cor. to sec. 1. From which
 a Blackberry 18 in. dia. bears N 54 E. 34. Medist
 Walnut 6 in. dia. S 15 E. 40 in.
 45.00 To a Brook 30 miles mid; leaves W.
 80.00 Set a post for the cor. to sub. 1. 6. 31 & 36
 T. N° 10 & 11 N.R. N° 1 8 & 1 W. From which a
 Buck 9 in. dia. bears S 25 W. 10 miles dist;
 L. 12 in. dia. N 3 E. 31 in.
 Sands S. p. very broken & Heilly; N. p.
 middle good farming lands; timber
 some.

North Boundary

West On the S. Boundary of sec. 36. T. N° 11 N.R.
 N° 1 W. On a Random line

- 40.00 Set a temp. post for the cor. to 1/4 sec.
 40.00 To a Brook 30 miles mid; leaves N.W.
 47.00 u. a Spring - u. u. u. N.W.
 80.00 Set a temp. post for the cor. to sub. 35 & 36
 T. N° 11 N.R. N° 1 W. Sands of broken
 Heilly Timber Oak, Buck, Poplar, &
 very bushy.

West On the S. Boundary of sec. 35 T. N° 10 N.R.

N.R. N° 1 W. On a Random line.

- 40.00 Set a temp. post for the cor. to 1/4 sec.
 80.00 Set a u. u. u. u. u. u. sub. 34 &
 35 T. N° 11 N.R. N° 1 W. Sands broken
 Heilly Timber Oak, Buck, Poplar, &
 very bushy.

West On the S. Boundary of sec. 34 T. N° 11 N.R.

N° 1 W. On a Random line.

- 40.00 Set a temp. post for the cor. to 1/4 sec.

T. N^o. 10 N.R. N^o. 1477 2nd Mer. (Ind.)

- 79.50 To a Brook 30 miles west; leaves N.W.
 80.00 Set a temp. post for the cor. to sec. 33 & 34.
 T. N^o. 11 N.R. N^o. 177. Sand soil; timber
 Oak, Buck, Ash, 2nd onto lands; maddling
 good for farming lands;
-

Friday May 21st 1819.

- West On the S. Boundary of sec. 33 T. N^o. 10 N.R. N^o.
 1477 On a Random line.
- 45.00 Set a temp. post for the cor. to 1/4 sec.
 80.00 Set a temp. post for the cor. to sec. 43 & 133
 T. N^o. 11 N.R. N^o. 177.
 Sands very broken & hilly good soil; timber
 same.
-

- West On the S. Boundary of sec. 32 T. N^o. 11 N.R. N^o.
 1477 2nd Mer. On a Random.
- 38.00 To a Brook 5 miles west, Run S.
 40.00 Set a temp. post for the cor. to 1/4 sec.
 43.00 To a Brook 8 miles west, Run S.
 80.00 Set a " " " for the cor. to sec. 31 & 32.
 T. N^o. 11 N.R. N^o. 177.
 Lands rolling rich and good for farming;
 timber same as in the last mile.
-

- West On the S. Boundary of sec. 31 T. N^o. 11 N.
 R. N^o. 177. 2nd Mer. On a Random line
- 22.80 To a Brook 12 miles west; leaves S.
 40.00 Set a temp. post for the cor. to 1/4 sec.
 67.50 Intersected the Range line
-

- East On the S. Boundary of sec. 31 T. N^o. 11 N.
 R. N^o. 177. On the true line
- 27.50 Set a post for the cor. to 1/4 sec. from which a
 N. Oak 1/2 mi. off bears 1/4 N. 22 miles dist;
 do 30 " " " N 57 E. 27 " "

T. N^o. 10. M.R. N^o. 1 W. 2nd Mer. (Ind.)

- 37.80 To a Brook 8 miles west; bearing S. W.
 67.50 Set a post for the cor. to sec. 31 132 T. N^o. 11
 M.R. N^o. 1 W. from which a
 W. Oak 30 in. dia. bears 148 E. 5 miles west; to
 Poplar 12 in. dia. N 53 W 25 m n
-

East On the S. Boundary of sec. 32. T. N^o. 11 N.
 R. N^o. 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 24 in. dia. bears S 13 E. 42 miles west; to
 Do 30 in. dia. N 76 W. 32 m n
 80.00 Set a post for the cor. to sec. 32 133. T. N^o. 11
 M.R. N^o. 1 W. from which a
 Hickory 18 in. dia. bears N 70 E. 36 miles west; to
 W. Oak 27 in. dia. N 77 W. 33 m n
-

East On the S. Boundary of sec. 33. T. N^o. 11 N.
 R. N^o. 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears N 71 E. 9 miles west; to
 Hickory 18 in. dia. S 15 E. 18 m n
 80.00 Set a post for the cor. to sec. 33. 834 T. N^o.
 11. M.R. N^o. 1 W. from which a
 Hackberry 11 in. dia. bears S 71 E. 16 miles west; to
 Do 27 in. dia. S 60 W. 33 m n
-

East On the S. Boundary of sec. 34. T. N^o. 11 N.
 R. N^o. 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Dogwood 9 in. dia. bears N 40 W. 5 miles west;
 to W. Oak 30 in. dia. S 64 E. 27 m n
 80.00 Set a post for the cor. to sec. 34 1 35 T. N^o. 11
 M.R. N^o. 1 W. from which a
 Buck 18 in. dia. bears West 39 miles west; to
 W. Oak 18 in. dia. N 62 E. 36 m n
-

T. N^o. 10 R.R. N^o. 177. 3rd Mer. (Ind.)

East On the S. Boundary of Sec. 35 T. N^o. 11 N. R.
N^o. 177. On the true line.

- 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Huckleberry 8 in. dia. bears S 17^W. 31 miles dist; to
Rocky 11 n n n W 16^W. - n n
80.00 Set a post for the cor. to Sec. 35. 136. T. N^o. 11
N. R. N^o. 177. from which a
Huckleberry 9 in. dia. bears N. 59^E. 13 miles dist; to
Gum 24 n n n S 35^W. 27 n n

East On the S. Boundary of Sec. 36 T. N^o. 11 N. R.
N^o. 177. On the true line.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Huckleberry 18 in. dia bears S 57^W. 15 miles dist;
Walnut 24 n n n N 64^E. 30 n n
80.00 To the cor. of Sec. 1. 6. 31. 36 T. N^o. 10 & 11 N.
R. N^o. 18 & 177.

West Boundary

From the cor. of Sec. 1. 6. 31. 36. T. N^o. 10 N.
R. N^o. 18 & 177. thence

North On the East Boundary of Sec. 36 T. N^o. 10 N.
R. N^o. 277. on the true line.

- 15.50 To a Brook 20 miles wide N.E.
32.00 To a Huckleberry 16 in dia. Stands in the line.
39.00 n n A Brook 10 miles wide; Runs E.
40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which an
Ash 13 in. dia. bears S 60^W. 20 miles dist; to
A Beech 15 n n - N 7^W. 23 n n
Sands hilly and rich; Timber Beech, Ash,
Walnut &c
73.50 To a Brook 12 miles wide; Comes E.
80.00 Set a post for the cor. to Sec. 25. 136. T. N^o.
10. N. R. N^o. 277. from which an
Ash 9 in. dia. bears S 30^W. 13 miles dist; to a
Dogwood 4 n n S 64^E. 16 n n

T N° 10 N.W. N° 1 W. 2nd Mer. (Face)

Sands and timber same as on the last p mile.

- North On the E. side of sec. 25. T N° 10 N.W. N° 2 N.
 16.00 To an Ash 18 in. dia. Woods in the true
 40.00 Set apart for the cor. to 1/4 sec. From which a
 Bush 10 in. dia. bears S47 W. 12 miles dist; to
 Ll. No 40 n n n N31 E. 4 n -
 55.00 To a Brook 150 yards wide; bears S47 W.
 80.00 Set apart for the cor. to sec. 24. 125. T N° 10
 N.W. N° 2 N. From which an
 Ash 15 in. dia. bears S45 E. 12 miles dist; to
 Maple 8 n n n N75 W. 15 n n
 Sands on the 1st p mile same as the last
 described; 2nd p not bottom lands; T.
 Maple 10.

*Surveyed by Alc. P. Holmes
Deputy Inv.*

October 4th 1815. The above line Continued
by W. Harris Dep'ty Surveyor.

- North On the E. side of sec. 24. T N° 10 N.W. N°
 2 N. On the true line.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Maple 17 in. dia. bears S45 W. 12 miles dist; to
 B. Oak 5 n n - N38 E. 7 n -
 80.00 Set apart for the cor. to sec. 13. 124 T N° 10
 N.W. N° 2 N. From which a
 B. Bush 4 in. dia. bears - 54 W. 8 miles dist;
 to "Ll. 18 n n n N13 E. 29 n -
 Sands fresh p mile not bottom lands; 2nd p
 Killy good soil; Timber Beech & Oak,

North On the E. side of sec. 13. T N° 10 N.W. N° 2
 N. On the true line.

- 21.50 To a Brook 45 yards wide; bears N.
 37.60 Intersected the N. Bound'y line of Hamison's

T. N° 10. M.R. N° 177. 2ndd Mer. Ind.

Purchased and set a post for the cor. to lot 130
 18 T⁹ N^o 10. M.R. N^o 172 W. from which a
 Buck 13 in. dia. bears N 39 E. 10 miles west; to
 do 16 n n a 184 W 29 n n
 40.00 Set a post for the cor. to lot 14 n. from which a
 W Oak, 14 in. dia. bears S 39 W. 2 miles west
 Buck 8 n n - N 28 E. 30 " "
 80.00 Set a post for the cor. to lot 12. & 13. T. N^o
 10 M.R. N^o 2 W. from which a
 Spearmint 18 in dia bears S 10 E. 22 miles west;
 Sugar 10 n n a 184 W 30 n n
 Sand hilly Buck, Sugar, Oak, Honey
 muddling goods forming lands.

North On the E side of sec. 12 T. N^o 10. M.R. N^o

2 W. On the true line

40.00 Set a post for the cor. to lot 14 n. from which a
 Buck 18 in. dia bears N 4 E. 17 miles west; to
 do 24 n n a 128 W 33 n n
 80.00 Set a post for the cor. to lot 1. 112. T. N^o 10 M.
 R. N^o 2 W. from which a
 Buck 12 in. dia. bears S 48 W. 27 miles west; to
 do 5 n n - N 4 W. 20 n n
 Lands and timber do same as on the last mile

North On the E side of sec. N^o 1 T. N^o 10 M.R. N^o

2 W. On the true line.

22.00 To a small Brook
 40.00 Set a post for the cor. to lot 14 n. from which a
 Buck 9 in. dia. bears S 72 E. 26 miles west; to
 do 9 n n a 179 W 57 n n
 72.00 To a Brook 20 miles west. Survey M.W.
 77.50 Intersected the Random line.
 80.00 Set a temp. post for the cor. to P³ 10. & 11 M.
 R. N^o 2 W.
 84.82 To the cor. of P³ 10. & 11 M.R. N^o 1 & 2 W.

T. N° 10. N.W. N° 1 W. 2nd Mer. (Ind.)

East

Subdivision

- East Between Sec. 31 & 31 T. N° 10. N.W. N° 1 W.
 4.00 Set a post for the cor. to 1/4 mi. from which a
 Buck 8 in. dia. bone N69 W. 11 pike nib; to
 110 10 n - - H29 E. 15 n -
 67.00 To a Brook 100 links wide; Comer N.
 8.00 Set a post for the cor to Sec. 29, 30, 31, 132
 from which a Buck 11 in. dia. bone E30 E. 32.114
 nib; & a Sycamore 14 n - - N77 W. 14
 - Lands Buck, bottom mostly modelling
 goods for farming.

South On a Random line between Sec. 31, 132 T. N°
 10 N.W. N° 1 W.

- 30.00 To a Brook 100 links wide; Comer N.
 35.00 n - - 100 n - - n E.
 4.00 Set a trap post for the cor. to 1/4 mi.
 70.00 To a Brook 100 links wide; Comer N.
 79.83 Inte sectn. the E. & W. line 65 links East of
 section cor. for. 31, 132.
 This will Read Bottom goods for farming

North On the true line between Sec. 31, 132. T. N° 11.
 N.W. N° 1 W.

- 39.91 Set the trap post at the corr. nib; on the true
 line for the cor. to 1/4 mi. from which a
 Buck 4 in. dia. bone E33 E. 16 links nib;
 110 30 n - - H27 W. 13 n -
 79.83 To the post set for the cor. to Sec. 29, 31, 132

East On a Random line between Sec. 29, 132 T. N°
 10 N.W. N° 1 W.

- 4.00 Set a trap post for the cor. to 1/4 mi.
 79.74 Inte sectn. the N. & S. line 4 links N of the
 post set for the cor. to Sec. 28, 29, 32, 133.
 Post in lands same as on the last line

J. N. 10 N. R. N. 17. 2nd Mer. Ind.

East of hilly land meadowing, good for farm
ing; timber, Buck, Sago & Poplar.

West On a true line between Lat. 29.832

39.87 Set the traps open at the corr. dist; on the
true line for the ent. 14 sec. from which a
Buck 8 in. dia. bears S86°E 32 miles dist; to
20. 11 n n - N60°W. 15 n -
79.74 Total Cor. for sec. 29. 30. 31. 132.

North Between Lat. 29.830 J. N. 10 N. R. N. 17.

40.00 Set a trap for the cor. 1/4 sec. from which a
Timwood 4 in. dia. bears N11W. 4 miles dist; to
Buck 10 n n - S49°E 34 n -
70.00 To a Brook 15 miles wide; course N.
80.00 Set a trap for the cor. to Lat. 19. 20. 29. 130.
from which a
Buck 9 in. dia. bears S38°W. 3 miles dist; to
W. Oak 24 n n - N63°E 14 n -
Sand hilly, Buck, Sago, Oak &c.

East Between Lat 19.830. J. N. 10 N. R. N. 17.

40.00 Set a trap open for the cor. to 1/4 sec.
79.30 Intersected the N. & S line 26 miles E. of sec.
Cor. for 19. 130.

East On a random line between Lat. 20.829 J. N. 10 N. R. N. 17.

4.00 To a Brook 10 miles wide; course S.W.
4.00 Set a trap open for
79.96 Intersected the N. & S line 21 miles N. of the
sec. Cor.

East Between Lat. 21.828 J. N. 10 N. R. N. 17.

201 Intersected the N. Boundary line of Harrison's
Purchase for the cor to Lat 21. 128. I set a trap

J. N° 10 M.R. N° 177. 2nd Mer. And.

from which a

Newly 7 mi. due bears S37E. 26 miles dist;
Dogwood 9 mi. - N61W. 27 mi. -

West On a true line between Sat. 20/12/9. J. N° 10
M.R. N° 177

39.98 Set the temp. post at the a.m. dist on the
true line for the cor. to 1/4 mi. from which a
Sugar 13 mi. due bears S57W. 30 miles dist;
Juniper 3 mi. - N69W. 44 mi. -

79.96 To the post set for the cor. to cor. 19. 20. 29
830.

North Between Sat. 19. & 20. J. N° 10 M.R. N.
177.

40.00 Set a post for the cor. to 1/4 mi. from which a
Buck 8 mi. due bears N28E. 12 miles dist
W. 4 Buck 6 mi. - S53E. 15 mi. -

59.72 Intercepted the N. Boundary line of H. P.
chancery and set a post for the cor. to Sat.
19. & 20. from which a
Buck 8 mi. due bears N37E. 9 miles dist; to
Llo 4 mi. - S39W. 22 mi. -
Sand Hill; Timber Oak, Buck, Poplar,
etc.

West On the true line between Sat. 19. & 30 J. N° 10.
N. R. N° 177

39.65 Set the temp. post at the a.m. dist on the
true line for the cor. to 1/4 mi. from which a
T.B. Ash 7 mi. due bears N10W. 7 miles dist; to
Llo 8 mi. - S78W. 11 mi. -

79.30 To the cor. of Sat. 19. & 30.

East Between Sat. 18 & 19 J. N° 10. M.R. N° 177.

J. N° 10. N.R. N° 1 H. 2nd Mar. (Ind.)

- 40.00 Set a post for the cor. to 14 sec. from which a
Buck 15 in. dia. has 482 ft. 11 miles dist; & a
Sugar 15 " " 113 ft. 13 " "
- 53.20 Intersected the N.Y.Boundry of Harrisons Purchase
and set a post for the cor. to Sat. 18.119
J. N° 10. N.R. N° 1 H. from which a
Buck 15 in. dia. has 874 ft. 13 miles dist; &
Do 16 " " 165 ft. 19 " "
Sand & silty meadow soil; Oak, Ash, Buck
woods. Poplar.
-

Oct. 12th 1815.

- North Between Sat. 33. 134 J. N° 10 N.R. N° 1 H.
40.00 Set a post for the cor. to 14 sec. from which a
W. Oak 24 in. dia. has 456 ft. 9 miles dist; &
Bucks 5 " " - 58 ft. 19 " "
80.00 Set a post for the cor. to Sat. 27. 28, 33. 134 J.
N° 10. N.R. N° 1 H. from which a
Buck 6 in. dia. has 164 ft. 2 miles dist; &
Do 24 " " 89 ft. 12 " "
Sand & silty meadow soil; Timber Oak, Buck
Poplar, Ash &c.
-

East Between Sat. 27. 634 J. N° 10 N.R. N° 1 H.

- 30.83 Intersected the N.Y.Boundry of Harrisons Purchase
and set a post for the cor. to Sat. 27. 134 from which
an Elm 15 in. dia. has 433 ft. 2 miles dist; &
Sugar 15 " " 153 ft. 35 " "
Sand soil timber &c same as on the last mile;
-

- North Between Sat. 27. & 28 J. N° 10. N.R. N° 1 H.
22.54 Intersected the N.Y.Boundry of Harrisons Purchase
and set a post for the cor. to Sat. 27. 828
J. N° 10 N.R. N° 1 H. from which a
Buck 9 in. dia. has 864 ft. 4 miles dist; &
Sugar 10 " " 154 ft. 25 " "

T. N° 10 S. R. N° 17 P. Dade Mar. Ind.

Sands timber soil &c same as in the last mile

October 2nd 1815.

- North Between Sec. 32. 133. T. N° 11. N.Y.P. N° 17.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 3 in. dia. bears N 69° W. 3 miles dist; to
do 14 in. n. n. S 85° E. 21 n. n.
49.00 To a Brook 25 miles west; Course S.E.
80.00 Set a post for the cor. to Sec. 28, 29, 32. 133.
from which a
Buck 18 in. dia. bears S 75° E. 7 miles dist; to
ash 20 in. n. n. N 97° W. 33 n. n.
Sands hilly, sanddilng soil; Timber Oak, Ash
Buck. Poplar, &c

- East On a random line between Sec. 28. 133. T. N° 10.
N.Y.P. N° 17.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.86 Intersect a the N. 18 line 65 miles south of the
post set for the cor. to Sec. 27, 28, 33. 134
Sands, soil, timber, &c same as in the last mile.

- West On a true line between Sec. 28. 133. T. N° 10. N.
R. N° 17.
39.93 Set the temporary post at the above dist. on the true
line for the cor. to 1/4 sec. from which a
1/3 Ash 14 in. dia. bears N 69° E. 23 miles dist; to
Buck 9 in. n. n. N 76° W. 25 n. n.
79.86 To the post set for the cor. to Sec. 28, 29, 32. 133

- North Between Sec. 32. 133. T. N° 10. N.Y.P. N° 17.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 9 in. dia. bears N 72° E. — miles dist; to
do 2 1/2 in. n. n. N 88° W. 11 n. n.
80.00 Set a post for the cor. to Sec. 21. 21. 28. 129. from which
a B. Oak 4 in. dia. bears East 10 miles dist; to

T. N° 10. N.P. N° 177. 2nd Mar. (Ind.)

Buck 18 m. dia. bears N 35° E. 21 miles west
Sand Hill, meadow soil; Timber Oak, Ash, Beech

North Between Sec. 20. & 21. T. N° 10. N.P. N° 177.

1.400 Intercepted the N.E. Boundary line of Harrison's Purchase
and set the post for the cor. to Sec. 20. & 21. from which
Sugar 11 m. dia. bears S 89° E. 10 miles west; 1 a
Sugar 3 m. n. ~ N 77° 77' 21" ~
Sand, soil, timber &c same as in the last note.

North Between Sec. 34 & 35 T. N° 10 N.P. N° 177.

24.00 To a Brook 15 miles west; corner S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 6 m. dia. bears S 30° W. 12 miles west; 1 a
Ho. 8 m. ~ N 24° E. 13" ~

43.90 Intercepted the N.E. Boundary line of Harrison's Pur-
chase and set a post for the cor. to Sec. 34 & 35 T. N°
10 N.P. N° 177. from which a
W. Ash 24 m. dia. bears S 28° 77'. 19 miles west; 1 a
Hickory 14 m. ~ N 20° 77' 13" ~

*Surveyed by
J. M. Harris L.S.*

Subdivisions

Of T. N° 10. N.P. N° 177. North of the N.Y. & P.
line of Harrison's Purchase.

North Between Sec. 19 & 20. T. N° 10 N.P. N° 177.

59.72 Originally surveyed to the N.E. Boundary of Harrison's
Purchase line extended

67.64 To a Buck 19 m. dia. bear w. the line.

80.00 Set a post for the cor. to lot. 17. 18. 19 & 20. T. N° 10
N.P. N° 177. from which a

Hognose 14 m. dia. bears S 20° 77'. 10 miles west; 1 a
Sugar 14 m. ~ N 57° E. 11" ~

Broken land; Timber W. Oak, Ash, Su-
gar, &c M. G. Spice &c.

T.N.^o 10. N.R. N^o 1 W. 2nd. Mus. (Ind.)

West On a Random line between Sat. 18. & 19. 5. N.^o 10.
N.R. N^o 1 W.

27.31 To a point 49 miles N. of the post on the Old
"Bound"; Sand broken 2nd rate;
Timber White Oak, Beech, Ash; some Spruce, etc.

East Corridor between Sat. 18. & 19. 5. N.R. N^o 1 W.
15.115 To a Beech 19 in. dia. Stands in the line
27.31 To the cor. of Sat. 18. & 19.

North Between Sat. 17. & 18. T.N.^o 10. N.R. N^o 1 W.

22.28 To a Hickory 22 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Mountain 3 in. dia. beam at 43 E. 8 miles dist; to
Dogwood 4 in. dia. - 167 W. 18 a -

59.65 To a White Oak 22 in. dia. Stands in the line

65.00 " " Brook 20 inches wide; course S. S. W.

81.111 Set a post for the cor. to Sat. 7. 8. 17. & 18. From which
Sugar 8 in. dia. beam N. 41 W. 1/2 miles dist; to a
Beech 17 a - - 147 E 14 a -
Broken 3rd rate; Timber Beech, White Oak, B.
Oak, Hickory & N.J. Dogwood. In woods, Spots

West Between Sat. 7. & 18. On a Random line T.N.^o
10. N.R. N^o 1 W.

40.70 Set a temporary post for the cor. to 1/4 sec.

79.50 Intersect the W. Boundary of T.N.^o 10. N.R. N^o
1 W. 10. miles N. of the post set for the cor. to Sat.
12.113. T.N.^o 10. N.R. N^o 2 W. Broken 3rd rate
Sand; Timber Hickory, Beech, White Oak, Ash, 10
m. J. Sassafras, Hickory, Oak, B. mrs.

East Corridor between Sat. 7. & 18. T.N.^o 10. N.R. N^o
1 W.

14.07 To a Hickory 22 in. dia. Stands in the line.

39.75 Set a post (temp.) at the cor. dist; on the tree

J. N° 10. N. Y.R. N° 177. 2ndd Mar. (Ind.)

- bill for the cor. to 1/4 mi. from which a
 Buck 26 in. dia. bears N57 W. 16 links dist; 10
 Do 16 in. " " \$108.19 "
 53.30 To a Hick., 14 in. dia. stands in the line.
 79.50 To the post sets for the cor. to Cor. 7. 8. 17 & 18.
-

- North Between Sw. 7 & 8. J. N° 10 N.Y.R. N° 177.
 24.00 To a sugar 16 in. dia. stands in. the line.
 40.00 Cut a post for the cor. to 1/4 mi. from which a
 Buck 4 in. dia. bears N24 - 10 miles dist; 10
 W. Oak 17 " " " \$78.8.14 " "
 61.11 To a W. Oak 27 in. dia. stands in. the line.
 80.00 Cut a post for the cor. to Cor. 5. 6. 7. 8. from which a
 Buck 5 in. dia. bears S56 W. 18 miles dist; 10
 Do 6 " " " \$87.8.16 " "
 Broken 3rd rate land, Timber B. Oak, W. Oak,
 Buck, Hick., n. g. Dogwood, Sassafras, Hick.,
 Huckleberry &c.
-

- West Between Sw. 6 & 7 On Allandine line. J. N° 10.
 N.Y.R. N° 177
 40.00 Cut a temp't post for the cor. to 1/4 mi.
 79.89 Intersected the W. 13 road of J. N° 11 N.Y.R. N° 177
 4 miles N of the post set for the cor. to Cor. 17 &
 J. N° 10 N.Y.R. N° 277. Broken 3rd. rate land,
 Timber Oak, B. Oak, Buck, Hick. &c. W. g.
 Sassafras, Hick., Dogwood, Pine &c
 Dist. 4. 1819
-

- East On true line between Swl 6 & 7. J. N° 10 N.Y.R.
 21.14 To a Hick., 19 in. dia. bears in the line.
 39.94 Cut the temp't post at the ave. dist; on the true line
 for the cor. to 1/4 mi. from which a
 Buck 14 in. dia. bears N64 W. 19 links dist; 10
 Do 4 " " " \$57.8. 16 " "
 46.99 To a W. Oak, 30 in. dia. stands in the line.

J. N. 10. M.R. N. 17. Dado Mar. "Ind."

79.89 To the spot set for the cor. to Lat. 5. C. 7. 88.

- North Between Lat. 506. J. N. 10. M.R. N. 17.
 2174 To a Sp. Oak 54 in dia. Stands in the tree.
 40.00 Set apart for the cor. to 10 sec from which a
 Dogwood 6 in. dia. bears N 47 W. 11 miles dist;
 Do 5 in. n 83 E. 18 n -
 61.68 To a Buck 17 in dia. bears in the tree.
 83.00 Introduce the N.T. Boundary of J. N. 10 M.R. N. 17.
 12.21 miles East of the spot set for the cor. to Lat.
 3113 J. N. 11 M.R. N. 17. and set apart from
 which a W. Oak 34 in. dia. bears S 57 W. like dist;
 and a Buck 18 n n - N 41 E. 27 n -
 Broken 2nd & 3rd gate land; Timber W. Oak,
 Buck, Sugar, Sp. Oak, Hick., Poplar, Ash, &c to
 N. S. Spec., Dogwood, Ash, Hick. &c.

- North Between Lat. 90. 121. J. N. 10. M.R. N. 17.
 1.40 Originally surveyed to the N.E. Boundary of
 Harrison Purchase. Line Extinguished
 21.35 To a Hick. 19 in. dia. Stands in the tree.
 40.00 Set apart for the cor. to 10 sec from which a
 Sugar 18 in. dia. bears N 36 W. 10 miles dist; &
 Buck 20 n n - N 87 E. 31 n -
 41.55 To a Brook 10 miles wide; Thru S. H.
 64.00 To an Elm 24 in. dia. Stands in the tree.
 86.00 Set apart for the cor. to Lat. 16. 20. 121. from
 which a
 Buck 14 in. dia stands N 88 W. 27 miles dist; &
 Do 17 n n - N 73 E. 12 n -
 Broken 3rd gate land; Timber W. Oak, T. B. Oak,
 Buck, Hick. &c N. S. Dogwood, Ironwood &
 Hick., T. B. nro &c.

- West Between Lat. 17. 120 On a Random line S. N.
 10 M.R. N. 17. Dado Mar. Indiana
 40.00 Set apart for the cor. to 1/4 sec.

J. No. 10 N.R. N. 1 W. 2nd Mer. Ind.

79.55 Intersected the W. Boundary 18 miles S of the post set
for the cor. to sec. 17. 18. 19. 20. J. No. 10. N.R. N. 1 W.
Broken 2nd or 3rd rate; timber W. Oak, Timber
Buck, W. Spic, dogwood, & sumac. &c.

East Between Sec. 17 & 20. J. No. 10 N.R. N. 1 W.
25.00 To a Buck 18 mi. dia. stand in the line.
39.77 Set a post for the cor. to 1/4 sec. from which a
dogwood 5 mi. dia. base N 43 E 21 miles west; to
Buck 23 n n N 57 E 28 n n
57.27 To a Hickory 18 mi. dia. stand in the line
79.55 To the spot set for the cor. to sec. 16. 17. 20. & 21.

North Between Sec. 16 & 17. J. No. 10 N.R. N. 1 W.
22.38 To a W. Oak 38 mi. dia. stand in the line
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 7 mi. dia. base N 41 W. 20 miles west; to
18.16 n n N 71 E. 22 n n
57.01 To a Sugar 13 mi. dia. stand in the line.
71.08 n n Brook 12 miles west; corner W. S. W.
80.00 Set a post for the cor. to sec. 8. 9. 16. 17. from which a
Maple 16 mi. dia. base N 39 W. 18 miles west; to
W. Oak 20 n n " S 38 E. 26 n n
Broken 3rd or 4th rate lands; timber W. Oak, & W. Oak
Buck, sugar, Hickory &c. w. y. dogwood, sumac
& hickory & oak &c

West Between Sec 8 & 17. On a Random line of J. No. 10 N.R.
N. 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.
73.20 To a Brook 10 miles west; corner S. E.
79.53 Intersected the NDS line 8 miles South of the post
set for the cor. to sec. 7. 8. 17. & 18. Several 2nd or 3rd rate
lands. Timber W. Oak, Buck Ash, sugar, &c.
W. Y. Spic & Maple &c.

T. N° 10 N.R. N° 1 W. 2nd Mus. And.

East On the tree line between Sec. 8 & 17 T. N° 10 N.R.
N° 1 W.

- 17.33 To a Beach 6 in. dia. stands in the line
39.76 Set the trap. y post at the over. dish. on the tree line
for the car. to 1/4 sec. from which a
Hornbeam 3 mi. dia. bears N 34 W. 11 miles dish; & a
Buck 14 in. n. - N 46 E. 16 in. -
57.93 To a Buck 18 mi. dia. stands in the line.
79.53 To the cor. of Sec. 8. 9. 16. 17

North Between Sec. 8 & 9. T. N° 11. N.R. N° 1 W.

- 21144 To a St. Oak 19 in. dia. stands in the line.
40.00 Set a post for the car to 1/4 sec. from which a
Buck 2 mi. dia. bears N 32 E. 14 miles dish; & a
Hornbeam 2 in. n. - S 64 W. 4 in. -
44.44 To a Brook 6 miles min.; course S.W.
58.50 n. - St. Oak 19 mi. dia. stands in the line.
80.00 Set a post for the car to sec. 4. 5. 8. 9. from which
a Beach 22 in. dia. bears N 37 W. 7 miles dish; & a
Sugar 18 in. n. - N 44 E. 91 in. -
Lands broken 3rd rate; timber N. 573 Oak.
Hickory, Buck, Sugar, &c. M. J. Dogwood, Hickory
Granaries &c. Dec. 5th 1819.

West Between Sec. 5 & 18 On a Random line T. N° 10
N.R. N° 1 W.

- 40.00 Set a trap. y post for the car. to 1/4 sec.
79.50 Into Sec. 5 the N. 13 mi. 28 miles North of the post
set for the car to sec. 5. 6. 7. 18. Lands broken 3rd
rate lands; timber N. 573 Oak. Sugar, Hickory,
Poplar, &c. M. J. Dogwood, Sassafras; Oak,
Hickory, Yew, &c.

East On a tree line between Sec. 5 & 8. T. N° 10 N.R. N° 1 W.

- 12.00 To a St. Oak 26 in. dia. stands in the line.
39.79 Set a post for the car to 1/4 sec. at the over. dish; on the

I. N° 10 N.R. N° 17W. 2ndd Run (End.)

- true line. From which an
Ironwood 6 in. dia. bears S22W. 26. miles dist; & a
Sugar 13 " " " N10E. 29 " " "
59.81 To a Poplar 32 in. dia. Stands in the line.
79.59 To the first set for the cor. to sec. 4. 5. 8. 9.

- North Between Sec. 4 & 5. I. N° 10 N.R. N° 17W.
211.71 To a Bush 16 in. dia. Stands in the line.
40.00 Lot a post for the cor. to 1/4 sec. from which a
Bush 21 in. dia. bears N24W. 5 miles dist; & an
Ash 3 " " " S11E. 40 " "
64.57 To a Sp. Oak 22 in. dia. Stands in the line.
81.23 Intersected the N. Boundary of I. N° 10 N.R. N°
17W. 13 ch. 25 miles East of the first set for the cor. to
32, 33. I. N° 11 N.R. N° 17W. & set a post for the
cor. to sec. 4. 5. From which a
Dogwood 4 in. dia. Stands W. 35 E. 7 miles dist; &
Hickory 10 " " " S42W. 17 " "
Lands broken 2nd or 3rd rate. Lands N.W. Oak,
B. Oak, Bush, Poplar, Sugar, Hickory, Ash, &c
n.g. Dogwood, Chestnut, Hickory, Oak, &c
Dec. 7th 1819.

- North Between Sec. 27, 28. I. N° 10 N.R. N° 17W.
22.54 Originally survey made by the N.E. Boundary of Har-
rison's purchase line extended
40.00 Lot a post for the cor. to 1/4 sec. from which a
Bush 4 in. dia bears N47E. 5 miles dist; & a
lo 14 " " " S51W. 16 " "
63.10 To a shell bark Hickory 18 in. dia. Stands in the line.
80.00 Lot a post for the cor. to sec. 21, 22, 27, 28. from which
a N. Oak 10 in. dia bears N57W. 8 miles dist; & a
W. Oak 14 " " " S18E. 19 " "
Lands broken 3rd rate; Timber N.W. Oak, B. Oak
Bush, Hickory &c Sassafras, Birch, &c.

J. N. 10. M.R. No. 171. 2nd Mar. (Ind.)

West Between Sec. 21 & 28. On a Random line. J. N. 10
M.R. No 171.

40.00 Set a temporary post for the cor. to 1/4 sec.

77.13 To a point 10 miles S of the post set on the Old
Boundary line; Sand Broken 2nd & 3rd rate.
Timbs W. Oak, Ash, Poplar, Buck, Sugar, &
W. Spice, Sassafras &c.

East Continue the line between Sec. 21 & 28 J. N. 10.
M.R. No 171.

2.01 Originally surveyed to the Old Boundary line
line extended

21.74 To a Buck 14 in. dia. Stands in the line.

39.56 Set the post (temp.) at the rear end in the true
line for the cor. to 1/4 sec. from which a
Buck 16 in. dia. bears N 13 E. 7 links dist; & a
S. 45 E. 33 n n \$756.20 n n

64.85 To a Buck 24 in. dia. Stands in the line.

79.13 To the post set for the cor. to Sec. 21, 28, 129

North Between Sec. 21 & 23 J. N. 10. M.R. No 171.

22.09 To a Sugar 19 in. dia? Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 13 in. dia. bears N 34 E 21 links dist; & a
Do 6 n n n \$447.25 n n

67.50 To a W. Oak 18 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 15, 16, 21, 23 from
which a Log wood 8 in. dia. bears N 88 71.8 the dist.
and a Do 5 n n n \$1168 17 n n
Sand broken 2nd & 3rd rate; Timbs W. & Oak
Buck, Hickory & Sugar tree; W. Spice, Hazel, Hick-
ory, Birch & Pine &c

West Between Sec. 16 & 21 On a Random line J. N. 10.
M.R. No 171.

40.00 Set a temporary post for the cor. to 1/4 sec.

T. N^o 10 N.Y.R. N^o 177. 2nd Mer. Ind^a

- 63.00 To a Brook 10 miles wide; corner N. W. N.W.
 79.28 Intersects the N.Y.S. line 34 miles N. of the post set
 for the cor. to Sec. 16, 17, 20, & 21. Broken &
 3rd rate lands: timber W. Oak, T.B. Oak, Hickory
 &c. w. g. Sassafras Dogwoods, &c.

East Correkt between Sec. 16 & 21. T. N^o 10. N.Y.R. N^o 177.
 4th Mer. Ind^a. ⁸³

- 23.74 To a W. Oak 28 in. dia. Stands on the line.
 39.64 Set a temporary post at the over cutch on the true line
 for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears N 55 E 28 miles east; & a
 Sugar 16 in. " " " \$79 N. 14 in. "
 60.78 To a Lynn 20 in. dia. Stands on the line.
 79.28 To the post set for the cor. to Sec. 15, 16, 21, 22.

North Between Sec. 15. & 16. T. N^o 10. N.Y.R. & N^o 177.

- 28.46 To a Buck 8 in. dia. Stands on the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 13 in. dia. bears N 56 E 14 miles east; & a
 Do 4 in. " " " \$70 N. 25 in. "
 66.31 To a Buck 19 in. dia. Stands on the line.
 80.00 Set a post for the cor. to Sec. 9, 10, 15, 16. from
 which a Buck 26 in. dia. stands N 32 E 13 miles east;
 and a Do 7 in. " " " \$84 N. 27 in. "
 Lands broken 3rd rate: timber Buck W. Oak
 T.B. Oak, Hickory &c. w. g. Sassafras Dogwoods,
 Dogwoods, T.B. in & min. &c.

West On a random line between Sec. 9. & 16. T. N^o 10.
 N.Y.R. N^o 177

- 16.50 To a Brook 10 miles wide; corner W. S. W.
 40.00 Set a temp'y post for the cor. to 1/4 sec.
 Intersects the N.Y.S. line 28 miles N. of the post
 set for the cor. to Sec. 8, 9, 16, & 17. Lands broken
 3rd rate; timber W. Oak, T.B. Oak, Hickory, Buck

J. N. 10. N.R. N. 17. D^{ad}o Mar. 1 (Ind^a)
N.G. Dogwood, Sassafras, Hickory & Pinus. &c.

- East On a true line between Sec. 9 & 16. J. N. 10 N.
N.R. N. 17.
24.16 To a Hickory 14 in. dia. Stands in the line.
39.58 Set a temporary post at the ave. dist. on the true
line for the cor. to 1/4 sec. From which a
W. Oak 3 in. dia. Stands 169 ft. 13 mds. dist. to
Dogwood 4 in. " " N. 22 E. 16 " "
59.10 To a Poplar 18 in. dia. Stands in the line.
79.16 To the post set for the cor. to sec. 9. 10. 15. 16.
Dec. 8th 1819.

- North Between Sec. 9 & 11. J. N. 10. N. R. N. 17.
16.95 To a W. Oak 14 in. dia. Stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Hickory 16 in. dia. brans N. 26 W. 18 mds. dist.; to
Buck 19 " " S. 36 E. 28 " "
64.28 To a Buck 18 in. dia. Stands in the line.
80.00 Set a post for the cor. to Sec. 3. 4. 9. 11. from which
a Dogwood 14 in. dia. Stands N. 23 W. 5 mds. dist;
to a Ho. 6 in. " " N. 44 E. 31 " "
Broken 3rd rate lumber; Timbs W. Oak, Buck,
B. Oak, Hickory, Sugar, &c. N.G. Sassafras,
Dogwood, Hickory, 73 mds &c.

- West On a random line between Sec. 4 & 9. J. N. 10.
N.R. N. 17.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.46 Intersected the N & S line 19 mds. S of the post.
Set for the cor. to Sec. 4. 5. 8. 9. Lumber broken &
3rd rate W. Oak, B. Oak, Buck, Hickory,
Sugar, &c. Timber; N.G. Dogwood, Hickory, ash,
Pinus &c.

East Between Sec. 4 & 9. On the true line. J. N. 10 N.

J. N° 10. N.P. N° 177. 2nd Mar. (Ind.)

R. N° 177.

- 19.62 To a Sugar 16 in dia. Stands in the line.
 39.73 Set a post for the cor. to 1/4 sec. at the avar. dist; on the
 true line from which a
 Hickory 12 in dia. bears S76 E. 24 miles dist; to
 Buck 14 " " " N68 E. 50 " "
 52.56 To a Buck 17 in dia. Stands in the line.
 79.46 To the post set for the cor. to Sec. 34. 9 & 10.
-

North Between Lot. 34 & 35 J. N° 10 N.P. N° 177.

- 22.58 To a Hickory 10 in dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Logwood 4 in dia. bears S88 W. 15 miles dist; to
 W. Oak. 17 " " " S83 E. 22 " "
 59.00 To a W. Oak 19 in dia. Stands in the line.
 64.08 " " " Brook 15 miles mid; bears N.W.
 79.60 Intersected the N.E. Boundary of J. N° 10 N.P. N°
 177 13 ch. 1/4 miles East of the post set for the
 cor. to Sec. 33 & 34 J. N° 11 N.P. N° 177. and set
 a post for the cor. to Sec. 34. from which a
 W. Oak 18 in dia. bears N26 W. 9 miles dist; to
 Buck 4 " " " S53 E. 14 " "
 Stands the post 60 ch. broken 3rd rate; The bal-
 ance 2nd rate land & locl; Timber Buck, W. Oak,
 Elm, Hickory Sugar, &c W. Y. Logwood, Hazel,
 & Amwood;
-

North Between Lot. 34 & 35. J. N° 10. N.P. N° 177.

- 43.90 Originally surveyed to the N.E. Boundary of
 Harris's Purchase; line extended
 62.28 To a Sp. Oak 32 in dia. Stands in the line.
 66.94 To a Brook 12 miles mid; bears S.E.
 75.00 " " " 15 " " " " S.E.
 80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35
 from which a Buck 16 in dia bears N85 W. 17 miles
 dist; and a 160 14 " " " N86 E. 114 "

T. N.º 10. N.Y.R. N.º 1 off. 2nd Mer. Ind.^{a)}

distant; Soil 2nd Rate lands. Timber Ash
Walnut, Sugar, Buck &c. M. G. Spice. &c.

West On a Road from between Lat. 27.034 T. N.º 10.

N.Y.R. N.º 1 W.

- 4.30 To a Brook 15 miles aside; leave S. E.
21.64 n. a. 110 12 n. n. n. S.E.
40.00 Set a temporary post for the cor. to 1/4 sec.
49.81 To a point 30 miles N. of the post set on the
N. E. Bound. of Harrison's Purchase.
Lands past here 2nd rate; Part 1st broken
3rd rate Lands; Timber Beech, Hornb'l. Ash,
Oak, &c. M. G. Spice. Elmwood, Dogwood. Ash.

East Corrected between Lat. 27.034. T. N.º 10 N.Y.R. N.º 1 W.

- 31.83 Originally Surveyed to the Old Indian bound'y
or the N. E. Bound. of Harrison's Purchase.
Line extended.

- 40.34 Set the temporary post at the ave. dist. on the true
line for the cor. to 1/4 sec. from which on
Elmwood 5 m. dia. bear N 52 E. of Madidi to
Dogwood 5 n. a. — \$32 71 13 n. —
62.03 To a Locust 18 m. dia. Stands in the line.
81.64 To the post set for the cor. to Lat. 26. 27. 33. 034

North Between Lat. 26 & 27. T. N.º 10 N.Y.R. N.º 1 W.

- 1.80 To a Brook 15 miles aside; leave N. S. W.
5.15 n. a. 110 15 n. n. n. S.E.
17.62 n. a. 110 15 n. n. n. N.W.
19.32 To a Beach 16 m. dia. Stands in the line.
28.50 To the same Brook 15 miles aside; leave S. S.E.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 4 m. dia. bear N 14 W. 19 miles dist; to
110 33. n. a. — \$68 E. 18 n. —
56.62 To a W. Oak. 20 m. dia. Stands in the line.

S. N° 10. N.P. N° 177. 2nd Mar. (Ind.)

- 80.00 Set apart for the cor. to Sel. 22, 23, 26, 27. from
which a Beech 17 in. dia. bears N 21 W. 29 like dash;
and a B. Gum 28 n. n. S 26 E. 5 n. —
Sands 1 ft. p. soil 2nd rate; 2nd p. sand 1 ft.
Knu 3rd rate; Timbu Beech, Ash, Sugar & Hick
ony &c. M.G. Spic, ash, hemlock, basswood,
Birch, &c.

West On a Random line between Sel. 22, 27 S. N° 10.
N.P. N° 177.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
80.53 Intersected the N. & S line 20 miles N of the
post set for the cor. to Sel. 21, 22, 27, 28
Sands broken 3rd rate; Timbu W. Oak, B. Oak,
Beech, Hick., &c. M.G. Ironwood, Briar &c.

East Corrected 7 Potow Sel. 22, 127. S. N° 10. N.P. N°
177. 2nd Mar.

- 12.00 To a Hick. 16 in. dia. Stands in the line.
40.26 Set the temporary post at the cor. dash; on the true
line for the cor. to 1/4 sec. from which a
Hick. 18 in. dia. bears N 88 W. 9 like dash; to a
Maple 17 n. n. S 8 E. 22 n. —
58.54 To a Huckleberry 19 in. dia. Stands in the line.
81.52 To the post set for the cor. to Sel. 22, 23, 26, 27.

North Potow Sel. 22, 123. S. N° 10. N.P. N° 177.

- 19.78 To a B. Oak 28 in. dia. Stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 22 in. dia bears N 74 E. 19 like dash; to a
Sugar 8 n. n. S 46 W. 18 n. —
54.58 To a Poplar 48 in. dia. Stands in the line.
80.00 Set a post for the cor. to Sel. 14, 15, 22, 123. from
which a W. Oak 15 in. dia bears N 77 W. 17 like dash;
and a Beech 8 n. n. S 68 E. 13 n. —
Sands broken 3rd rate; Timbu W. Oak, B. Oak,

T. N° 10. N.Y.P. N° 177. 2nd Mer. (Ind.)
Buck, Sp. Oak, Hickory &c. W. G. Innwoods
Vine & Brier. &c.

West Between Jul. 15. & 22. T. N° 10. N.Y.P. N° 177.
On a Random.

- 40.00 Set a temp'y trap for the cor. to $\frac{1}{4}$ sec.
80.40 Intersected the N. & S line 23.116 N. of the first
set for the cor. to Jul. 15. 16. 21. & 22. Found no-
thing 3rd rate; Timber W. Oak, T. B. Oak, & Buck
Hickory &c.; W. G. Dogwood, Ash, &c.

East Correcta Between Jul. 15. & 22. T. N° 10 N.
21. 76. To a Walnut 18 in. dia. Stands in the vine.

- 40.21 Set the temp'y trap at the avcr. dist; on the tree
line for the cor. to $\frac{1}{4}$ sec. from which a
Buck, 16 in. dia. bears N 32.7 W. 13 miles dist; a
Sugar 16 a n - N 10 E. 15 a -
69.17 To a W. Oak 22 in. dia. Stands in the vine
81.42 To the first set for the cor. to Jul. 14. 15. 22. 23.

North Between Jul. 14. & 15. T. N° 10. N.Y.P. N° 177.

- 20.00 To a W. Oak, 36 in. dia. Stands in the vine.
40.00 Set a trap for the cor. to $\frac{1}{4}$ sec. from which a
Buck 14 in. dia. bears N 43.7 W. 58 miles dist; a
Ho 8 a n - S 65 E. 27 a -
59.50 To a Buck 18 in. dia. Stands in the vine.
80.00 Set a trap for the cor. to Jul. 10. 11. 14. 15. from
which a Buck 5 in. dia. bears N 36 W. 5 miles dist
and a Ho 4 a n - S 41 W. 19 a -
Lando 1 Broken 2nd & 3rd rate; Timber Buck
Sugar, Poplar, W. & B. Oak, Hickory &c. W. G. Spic
Sassafras. &c. Dec. 10. 1819.

West Between Jul. 10. & 15 On a Random line T. N° 10
N.Y.P. N° 177.

- 40.00 Set a temp'y trap for the cor. to $\frac{1}{4}$ sec.

J. N. 10. A.Y.R. No. 177. 2nd Mar. (Ind.)

80.48 Intersected the N. & S. line 42 miles N. of the post set for the cor. to Lat. 9. 10. 15. 116. Sands broken Post 1st & Post 2nd Rate. Timber Hickory, Beech, Sugar, W. Oak, Y.B. Oak, Poplar, Ash & N.G. Spire, Ironwood, etc.

East Located the line between Lat. 10. 115 J. N. 10 A.Y.R. No. 177.

- 17.00 To a Buck 18 in. dia. Stands in the line.
 40.24 Set the temporary post at the ave. dist; with the line for the cor. to 1/4 sec. from which a Dogwood 4 in. dia. bears N 46° W. 28 miles dist; to
 Buck 5 in. - S 45° E. 25 in.
 50.43 To a Sugar 16 in. dia. Stands in the line.
 80.48 To the post set for the cor. to Lat. 10. 11. 14. 5 15.

North Between Lat. 10. 8 11 J. N. 10 A.Y.R. No. 177.

- 20.87 To a Sp. Oak, 32 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a Buck 12 in. dia. bears N 42° E. 10 miles dist; to
 Hickory 14 in. - S 24° E. 17 in.
 71.64 To a Dogwood 5 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Lat. 2, 3. 10. 11. from
 which a Buck 16 in. dia. bears N 68° W. 16 miles dist;
 and a 16 in. - N 83° E. 26 in.
 Sands broken 3rd rate; Timber Beech, W.W.B.
 Oak, & Hickory. N.G. Dogwood, Ironwood,
 Pine.

West Between Lat. 3 & 10. On a Random line. J. N. 10 A.Y.R. No. 177.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Intersected the N. & S. line 14 miles N. of the post.
 set for the cor. to Lat. 3. 4. 9. 11.
 Sands Broken 3rd rate; Timber W. S. B. Oak,
 Beech, Hickory, Sugar &c. N.G. Sassafras, Dog-

T. N° 10. N.T.R. N° 197. Quad. Mus. (Ch.a.)
woods Neuk. T., Innwood, Brinsford.

East corner the line between Sec. 3 & 10. T. N° 10.
N.T.R. N° 197.

- 18.39 To a Hick. 14 in. dia. Stands in the line
40.32 p Set a post 4' high at the ave. dist; on the line
line from the cor. to 1/4 sec. from which a
Buck 13 in. dia. bears N 53 W. 28 miles dist; to a
Hick. 6 in. - S. 7 E. 18 in. -
51.13 To a Sugar 17 in. dia. Stands in the line.
80.04 To the post set for the cor. to Sec. 2, 3. 10. 11.

North 73 between Sec. 213. T. N° 10. N.T.R. N° 197.
19.48 To a W. Oak 16 in. dia. Stands in the line.
40.00 Set a post on the cor. to 1/4 sec. from which a
Buck 18 in. dia. bears S 33 W. 8 miles dist; to a
Loc 14 in. - N 76 E. 24 in. -
43.58 To a Brook 10 miles mid; comes N. N. W.
61.28 To a Sugar 14 in. dia. Stands in the line.
78.03 Intercepted the N. Boundary of T. N° 10. N.T.R.
N° 197. 13 ch. 21 miles East of the post set for
cor. to Sec. 34 & 35. T. N° 11 N.T.R. N° 197.
woods set apart for the cor. to Sec. 213. From
which a W. Oak, 14 in. dia. bears S 51 E. 14 miles.
dist; to Buck. 7 in. - N 80 W. 15 in.
- Lands great level 2nd rate; Part broken
3rd rate; Timber W & B. Oak, Buck, Ash,
Sugar, Hickory etc. U. Y. Hick. Longwoods,
Innwood, Brinsford. Dec. 11th 1819.

North 73 between Sec. 35, 136. T. N° 10. N.T.R. N° 197.
13.00 To a Brook 75 miles mid; comes S. S. W.
20.15 a the S. Ls. 75 in. - D. S. E.
20.15 A Buck 14 in. dia. Stands in the line on the Blk
of said stream
28.00 Left the Brook & enter a windfall

T. N. 10. R. N. 1 W. 2nd Mer. Ind.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 3 in. dia. bears N 73° W. 11 miles west; &
do 18 in. a n a S 63° E. 7 in. a n + left
infall
- 61.10 To a Poplar 36 in. dia. stands in the line.
- 80.00 Set a post for the cor. to sec. 25, 26, 35, 136.
from which a Buck 3 in. dia. stands N 55° W. 5
miles west; & do 14 in. a n a S 61° E. 25
n a Lands part level 2nd rate: Part broken
bark white; Timber Beech, W. Oak, Poplar, Hickory
& Sugar. M. G. Cypres, Dogwood, Ash, Elmwood,
Birch & others.

West Between Lat. 26.835 T. N. 10 R. N. 1 W.
On a Random line.

- 26.34 To a Brook 10 miles west; course S. W.
- 40.00 Set a temp. post for the cor. to 1/4 sec.
- 70.58 Enter into the N & S line 12 miles N. of the Post
set for the set for the cor. to sec. 26, 27, 34 & 35.
Lands part level, part broken 2nd & 3rd rate
Timber Beech, W. Oak, Poplar, Ash, Hickory
Sugar &c. M. G. Cypres, Dogwood, Ash, Elmwood,
Birch &c.

East Corrected the line between Lat. 26.835 T. N. 10
R. N. 1 W.

- 17.64 To a Buck 18 in. dia. stands in the line.
- 35.29 Set the temp. post at the over cut on the true
line for the cor. to 1/4 sec. from which a
Buck 15 in. dia. stands N 72° E. 14 miles north; &
do 18 in. a n a S 44° E. 22 in. a
- 46.14 To a Poplar 36 in. dia. stands in the line.
- 70.58 To the post set for the cor. to sec. 25, 26, 35, 136.

East On a true line between Lat. 25, 136. T. N. 10 R.
N. 1 W.

- 19.88 To a Buck 17 in. dia. stands in the line.

J. N° 10. N.P. N° 177. 2nd Mar. (Ind.)

- 40.00 Set a post for the cor. to 1/4 mi. from which a Dogwood 3 in. dia. stands S27 E. 11 miles dist; & a Buck 18 in. dia. ~ N18 W 16 in. ~
 55.00 To a Brook 75 miles west; course N. S.W.
 60.10 ~ ~ ~ Buck 14 in. dia. Stands on the line.
 75.40 Enter a Pond.
 78.74 Intercepted the E. Range line 280. little N. of a post set for the cor. to Sec. 25, 136, from which an Ash 14 in. dia. stands S29 W. 33 miles dist; a Mata Oak 3 in. dia. ~ N85 W. 14 in. ~
 Stands part lost; Part broken 3rd do. 3rd rate.
 Timber 7 Buck, Elm, Maple, W. Oak, ash, &c.
 U.G. Spruce, Birches, Shrubac. Maple &c.

- North Peteran Sec. 25 & 26. J. N° 10. N.P. N° 177.
 18.65 To a Buck 19 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 mi. from which a Buck 15 in. dia. has N19 W. 28 miles dist; &
 40. 6 in. ~ ~ S81 E. 29 ~ ~
 58.66 To a Buck 7 1/2 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 23, 24, 25, 26.
 From which a T.B. Oak 23 in. dia. has S51 W 8
 miles; & a Buck 16 in. ~ ~ N49 E 26
 ~ ~ Stands broken 3rd do. rate; Timber W. Oak
 T.B. Oak, Buck, Hick., &c. U.G. Amwoods, Dog-
 wood & Sassafras. &c.

West On a Random line between Sec. 23 & 26. J. N° 10.
 N.P. N° 177.

- 40.00 Set a tangent post for the cor. to 1/4 mi. of
 46.20 To a Brook 10 miles west; course S.W.
 70.65 Intercepted the N. & S. line 18 miles E. of the post.
 Set for the cor. to Sec. 22, 23, 26 & 27. J. N° 10.
 N.P. N° 177. Stands broken 3rd do. rate; Timber
 W. & T.B. Oak, Buck, Hick., &c. U.G. Hick.,
 Oak, Sassafras, Amwoods, Hackberry, &c.

T. N° 10. N.W. N° 177. 2nd Mar. (Ana.)

- 16.43 To a Maple 14 in. dia. Stands in the line.
 35.32 Set the traps apart at the over dash; on the true
 line for the cor. to 1/4 mi. from which a
 W. Oak, 23 in. dia. bears N 68° E. 11 miles dash; to
 W. Oak 16 in. " " S 80° E. 26 in. "
 50.24 To a W. Oak 16 in dia. Stands in the line
 70.05 To the post set for the cor. to sec. 22, 23, 26, 27.
-

- East Between Sec. 24 & 25 T. N° 10. N.W. N° 177
 20.48 To a P. Oak 22 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 mi. from which a
 Buck 18 in. dia. bears N 55° E. 13 miles dash; to
 40 13 in. " " S 49° E. 16 in. "
 58.90 To a Buck 19 in. dia. Stands in the line
 79.00 Intersected the E Range line 2 1/4 miles North
 of the post set for the cor. to sec. 24 & 25. I set a post
 for the cor. to sec 24 & 25. from which a
 Dogwood 14 in. dia. bears S 31° E. 17 miles dash; to
 Buck 5 in. " " N 63° W 11 in. "
 Sande spent wood, & part broken 2nd do 13th
 nat. Timbo W. O. P. Oak, Buck, Hickory, Ash,
 & co. W. G. Ironwood, Dogwood, Hickory, Birch
 to Dec. 13. 1819.
-

- North Between Sec. 23 & 24 T. N° 10. N.W. N° 177.
 19.78 To a Hickory 15 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 mi. from which a
 Buck 5 in. dia. bears N 35° E. 9 miles dash; to
 Dogwood 6 in. " " S 21° W. 13 in. "
 60.10 To a Hickory 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. to sec. 13, 14, 23, & 24. from
 which a W. Oak 22 in. dia. Stands N 76° W 16
 miles dash; to a B. Gum 23 in. " " N 45° E. 17.
 " " Sande broken 3rd do nat; Timbo W. O. P.
 Oak, Chestnut Oak, Buck, Hickory &c. W. G.
 Sassafras Hickory Dogwood, Ironwood, Birch &c.

J. N.° 10. N. H. N.° 17W. 2m. 00 Min. Ind.

West Between lat. 14 & 23. On a Random line J. N.° 10. N. H. N.° 17W.

- 11.35 To a Brook 8 miles west; diameter 3 ft.
 40.00 Set a tempt post for the cor. to 1/4 mi.
 70.70 Intercepted the Ad. S line 43 miles S. of the first
 set for the cor. to lat. 14. 15. 22, & 23. Sands.
 Broken & 3rdo rate; Timber W. Oak, Hickory
 B. Oak, & Buck, &c. M. G. Sassafras, Dogwood
 Oak, Birch &c.

East Corruted Between lat. 14 & 23. J. N.° 10. N.
 N. H. N.° 17W.

- 22.25 To a Hickory 18 in. dia Stands in the line.
 35.35 Set the tempt post at the aver. dist. on the tree
 line for the cor. to 1/4 mi. From which a
 Buck 14 in. dia. bears N 36 E. 19 miles west to
 40.15 " " " 39 W. 11 a -
 56.47 To a Hickory 18 in. dia Stands in the line.
 70.70 To the post set for the cor. to lat. 13. 14. 23. 24

East Between lat. 13 & 24 J. N.° 10. N. H. N.° 17W.
 17.78 To a Hickory 23 in. dia Stands in the line.

- 40.00 Set a post for the cor. to 1/4 mi. From which a
 W. Oak 24 in. dia bears N 68 W. 14 miles west to
 a Buck 16 in. dia - 66 E. 27 a -
 54.85 To a Buck 24 in. dia Stands in the line.
 78.55 Intercepted the E. Range line 200 miles N.
 of the post set for the cor. to lat. 13. 124. I set
 a post for lat. 13. 124. From which a
 Buck 17 in. dia bears N 62 W. 21 miles west to
 Poplar 33 a - - - N 60 W. 10 a -
 Sands broken 3rdo rate; Timber Buck, W. Oak,
 B. Oak, Hickory &c. M. G. Sassafras, Ash, Spire,
 Ironwood, and birches;

North Between lat. 13 & 14. J. N.° 10. N. H. N.° 17W.

T N° 10 M.P. N° 1 W. 2ndo Mar. (Ind.)

- 18.22 To a Poplar 36 in. dia stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Bush 6 in. dia bears N61E. 8 miles dist; & a
 D_o 18 in. n. S67W. 35 in. n.
 62.00 To a Bush 18 in. dia stands in the line.
 80.00 Set a post for the cor. to sec. 11, 12, 13 & 14 from
 which a Bush 18 in. dia stands N35W. 15 miles
 D_o 4 in. n. S27E. 23 in. n.
 Broken 2nd & 3rd rate lands; Timber W. Oak,
 N. Oak, Bush, Poplar, Hickory, w. g. Spruce, Ash,
 and Spruce.

West On a Random line between sec. 11 & 14 T N° 10 M.
 P. N° 1 W.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 71.84 Intersected the N. & S line 58 miles. Set the post
 set for the cor. to sec. 10, 11, 14, 15.
 Sands broken 2nd & 3rd rate; Timber Sugar,
 N. Oak, Bush, Ash, Hickory, w. g. Spruce, Ash,
 Cassiafras, Elmwood, &c.

East Corridors between sec. 11 & 14 T N° 10 M.P. N° 1 W.

- 17.60 To a Poplar 19 in. dia stands in the line
 35.40 Set the temporary post at the aver. dist; on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Bush 26 in. dia stands N51W. 19 miles dist; & a
 D_o 28 in. n. S63E. 28 in. n.
 57.40 To an Ash, 17 in. dia stands in the line.
 70.84 To the post set for the cor. 11, 12, 13 & 14.

East Between sec. 12 & 13 T N° 10 M.P. N° 1 W.

- 23.70 To a Sugar 14 in. dia stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Bush 15 in. dia. bears N15E. 22 miles dist; & a
 D_o 14 in. n. S33W. 25 in. n.
 57.90 To a Sugar 15 in. dia stands in the line.

T. N° 10. N.Y.P. N° 1 W. 2nd Mar. Ind.

- 77.84 Intersects the 2nd Mar. 166 miles N. of the
post set for the cor. to Sec. 12, 13 T. N° 10. N.
Y.P. N° 1 W. and set a post for cor. to Sec. 12, 13.
from which a sugar 17 in. dia stands 166 W. 18 miles
west under a buck 3 in. dia ~ N60 W 27 ~
in broken moderate sand; buck,
Sugar, W. Oak, Hickory, Ash, &c. U.G. Specie
&c. Dec. 14 & 18 19

West Between Sec. 11, 12, 13 T. N° 10. N.Y.P. N° 1 W.

26.81 To a buck 17 in. dia stands in the sw.

40.00 Set a post for the cor. to 1/4 sec. from which a
sugar 16 in. dia stands N67 W. 31 miles west to
a 17 in. dia ~ S60 E 16 ~

59.64 To a Poplar 18 in. dia stands in the sw.

67.11 ~ ~ Brook 10 miles west; corner N.E.W.

80.00 Set a post for the cor. to Sec. 1, 2, 11, 12 from which
a buck 18 in. dia stands S45 W. 5 miles west to
Maple 19 in. ~ ~ N71 E. 7 ~ ~
Sand broken 2nd rate; timber buck, Sug-
ar, Ash, W. Oak, Poplar, &c. U.G. Specie, Sas-
safras, Hickory, Hazel, &c.

West Between Sec. 2, 3, 11 On a random line T. N°
10. N.Y.P. N° 1 W.

19.51 To a Brook 10 miles west; corner N.W.

40.00 Set a trumpet post for the cor. to 1/4 sec.

70.62 Intersects the N. & S. line 78 miles S. of the post
set for the cor. to Sec. 2, 3, 10, 11. Sand broken
3rd rate; timber buck, W. Oak, B. Oak, Hick-
ory &c. U.G. Sassafras, Oak, Hickory, Ironwood,
& Pine.

East Corridor Between Sec. 2 & 11. T. N° 10. N.Y.P.
N° 1 W.

11.70 To a Hickory 14 in. dia stands in the sw.

J. No. 10 N.Y.P. No 177. 2nd dist. Mar. (Ans^a)

- 35.31 Set a temp. post for the cor. to 1/4 sec. at the a.m.
dist. in the true line from which a
W. Oak, 24 in. dia. bears N 78 E. 17 miles dist; to
P. Oak 34 in. " " S 8 W. 8 " "
46.16 To a P. Elm 16 in. dia stands in the line ✓
70.60 To the post set for the cor. to Sec. 1. 2. 11. 12.

East Between Sec. 1 & 12. J. No. 10. N.Y.P. No 177.

- 18.10 To a W. Oak 28 in. dia stands in the line
40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 3 in. dia bears N 38 E. 15 miles dist; to a
W. Oak 42 in. " " S 27 W. 9 " "
58.11 To a Hickory 16 in. dia stands in the line.
77.96 Intersected the 2nd dist. Mar. 143 miles N of the post
set for the cor. to Sec. 1. 12. I set a post for the
cor. to Sec. 1. 12. from which a
Beech 14 in. dia bears N 25 E. 7 miles dist; to
Dogwood 14 in. " " S 84 W. 10 " "
Same broken 3rd rate; Timb. W. Oak, P. Oak,
Buck, Hickory Ash &c. M. Dogwood, Shumwod,
Spic, &c.

North Between Sec. 1. & 12. J. No. 10. N.Y.P. No 177.

- 22.45 To a Hickory 17 in. dia. stands in the line.
40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 10 in. dia bears S 78 W. 11 miles dist; to a
do 6 in. " " N 37 E. 12 " "
61.56 To a W. Oak 19 in. dia. stands in the line.
79.34 Intersected the N. P. Boundary of J. No. 10. N.Y.P. No 177.
147 miles E of the post set for the cor. to Sec. 35
& 36. J. No. 11 N.Y.P. No 177. and set a post for the
cor. to Sec. 12. from which a
Buck 8 in. dia bears S 57 W. 17 miles dist; to a
Dogwood 14 in. " " S 63 E. 20 " "
Same broken 3rd rate; Timb. P. Buck, W. Oak,
P. Oak, Hickory &c. M. Sassafras, Dogwood,

I. N^o 10 N.W. R^o 17th 2nd Mer. (Ind.)
Brownwood, No. 7, Indiana, Dec. 15th 1839

Surveyed by
Thomas Brinn.
L.S.

I certify that the foregoing transcript of the field
notes of Township N^o 10 North of Range N^o 17th
of the 2nd Mer. Indiana, has been compared with
the original notes in this Office, and found to
be correct.

C. S. Peirce
Surveyor General's Office,
Cincinnati, Dec. 16. 1839

Sur. Gen.